

CONTENT

STRUCTURES SURFACES	4 - 5
COLOURS GRADES	6 - 7
1-STRIP RANGE	8 - 9
OAK NATURA PERLA BIANCA NEBLA AKZENT	10 - 19
OAK KNOTTY NATURA PERLA BIANCA NEBLA AKZENT	20 - 33
OAK COUNTRY NATURA PERLA BIANCA NEBLA AKZENT	34 - 45
OAK RUSTIKAL OAK PALERMO OAK MARKANT	46 - 49
OLD OAK NATURA JURA	50 - 51
OAK STEAMED OAK STEAMED COUPAL NATURA	52 - 57
OAK SMOKED MEDIUM NATURA PERLA	58 - 59
BLACK WALNUT BLACK WALNUT COUNTRY NATURA	60 - 65
OAK SMOKED NATURA PERLA	66 - 71
ASH HEARTWOOD NATURA PERLA	72 - 73
BEECH STEAMED BEECH ST. RUSTIKAL NATURA	74 - 75
BLACK CHERRY NATURA	76 - 77
IROKO MERBAU	78 - 79
PRODUCT OVERVIEW	80 - 83
CARE & MAINTENANCE SEDA TENSEO	84 - 85
ACCESSORIES STAIRBOX ENDING FRIEZES SKIRTINGS	86 - 87
POOM CLIMATE	0 0



THE FOREST IS OUR ORIGIN

Every tree that grows in our forests, every trunk, every piece of wood and therefore every parquet tells a story and is as individual as we are – is has its own unique fingerprint.

This individuality and uniqueness of the material means that our work is always exciting and varied. It is our passion to produce parquet flooring for your home from a naturally grown tree.

Assets like its natural origin as well as its processing to the most exacting and environmentally friendly standards make the range an outstanding quality product. A quality product that delivers what it promises – this is what we vouch for with our good reputation, our understanding of wood as a natural product and our Scheucher warranty, which guarantees the full functionality of our hardwood floors for 30 years.









HE SUPPLIES US THE WOOD, FROM WHICH YOUR PARQUET DREAMS ARE MADE OF

NATURAL & HEALTHY

Wood is a naturally grown raw material and no other material stands for such a naturalness and liveliness. These special characteristics make each of our parquet floors to one of a kind. Its warmth, vividness and cozy aura are real boons for all of your senses. Thanks to its moisture-regulating impact on the interior air, wood additionally ensures a sustainably healthy room climate.

TIMELESS & MODERN

Wooden floors always hit the taste of the time since centuries. There are hardly any limits on design possibilities and due to the cooperation with interior designers, designers and the furniture industry, our assortment is constantly adapted to the latest furnishing trends.

HYGIENIC & EASY TO CARE FOR

Germs, mites and other troublemakers don't stand a chance at parquet. Wood also has a natural antistatic effect and doesn't attract dust – this combination makes our parquet particularly long-lasting and easy to care for. Vacuuming and, if necessary, wiping up damp is absolutely sufficient for the regular cleaning.







GUARANTEED MADE OF REAL WOOD

An invaluable decision-making aid, when selecting your floor, is the quality seal "Real Wood", which is valid throughout Europe. It marks real wood and differs from all other wood-imitating floor coverings. Moreover the trademark stands for an excellent life cycle assessment of real wood. According to the Europe-wide valid standard EN 13756, parquet is defined as "wooden floor with a wear layer thickness of at least 2.5 mm before installing".

MADE FOR **GENERATIONS**

Parquet is an investment for life. We particularly recommend our SEDA parquet floors, which are treated with natural oils and waxes. The oil deeply penetrates the wood and is cured with oxygen (oxidative). For the finish we use a special natural oil, which makes your floor ready for occupancy. The surface is open-pored, breathable, warm to the feet, natural and prevents static charge. If necessary, scratches and damages can be repaired partially without any problems so your floor stays beautiful for generations to come.





MOVING STRUCTURES.

Preserved natural character. Noticeably characteristic surfaces. Experience them just as they are. Feel the differences. See the differences.

STRUCTURE

VALLETTA natural VALSEGA characterful TOSKANA exceptional Selected types of parquet can be obtained from Scheucher with extraordinary surface structures. This creates a tangible and visible pattern, with an incomparable feel, making the parquet floor appear three-dimensional.



VALLETTA lends parquet flooring a natural character and subtle roughness, as it is **BRUSHED AND HAS A BEVEL**.



VALSEGA ensures a characterful and striking surface impression. Here, the parquet surface is **BAND-SAWN AND BRUSHED**.



TOSKANA - SCRAPED - gives you an exceptionally antique sense of touch as well as an incomparably pleasant feel of walking thanks to its slightly waved surface.

2-SIDED AND 4-SIDED BEVEL

For all types of wood: With the product-specific 4-sided bevel surface structure, the designated parquet elements are given bevelled edges on all four sides, which allows the structure of the individual elements in the overall arrangement to stand out pleasantly. With the 2-sided bevel surface structure, the bevelled edges are only on the two longitudinal sides.







REFINED SURFACES.

SEDA

Your parquet is treated with natural oils and waxes according to century-old traditions to retain its original lustre. These floors are particularly beautiful with their silky matt surface with natural texture and intensive wood color. Open-pore surface finishes with breathable materials mean you are guaranteed a healthier interior climate and your home is enhanced by this touch of nature.



- + Natural oils and waxes
- + Breathable and humidity regulating
- + Healthy room climate
- + Impregnated depth protection
- + Water and dirt resistant
- + Antistatic
- + Partial reparability

TENSEO

This high-quality up to 7 layers consisting sealing system ensures your wooden flooring retains its natural appearance and gives a special flair to any room. The beautifully silky sheen or matt finish gives an exclusive look to the wood while at the same time making it resistant to damage and thereby considerably extends the life of your parquet flooring.





- + Silky sheen or satin gloss
- + UV sealed surface
- + Water and dirt resistant
- + Chemical-resistant
- + Environmentally friendly and easy to care for
- + Higher wear class
- + Suitable for sports halls

WOOD TYPES

OAK

OAK SMOKED

OAK SMOKED MEDIUM

OAK STEAMED

OLD OAK

BLACK WALNUT

HARD MAPLE

ASH

BEECH STEAMED

BLACK CHERRY

CHERRY EUROPEAN STEAMED

IROKO (KAMBALA)

MERBAU

RED OAK

Different types of wood mean that we have something to suit every taste and personal style. From light maple parquet to dark, smoked oak wood.

Individual nuances make individual living dreams come true.

Ø

PERLA ASH | OAK | OAK SMOKED OAK SMOKED MEDIUM




JURA OLD OAK



WORLD OF COLOURS.

NATURA ALL WOOD TYPES



BIANCA



NEBLA OAK



AKZENT





\square

7

TYPES LIVE.

Grown in quiet in the forest. As individual as nature. As individual as you.



SELECT.

HAVEN OF PEACE.



Uniform and subtle in terms of colour and growth, this sort is a convincing choice.

Small knot points are possible

Small knot points are possible and enliven the overall look.

NATUR. CLASSIC.


PURE NATURE.



A natural growth in combination with natural colour variations and small, visible knots.

KNOTTY.

JOIE DE VIVRE.



Free of sapwood, natural, and thanks to the many visible knots, this grading ensures tangible joie de vivre.

GRADES

SELECT NATUR

CLASSIC

KNOTTY

* available in 1-strip oak, sap free

COUNTRY*

RUSTIKAL

STRUKTUR

EFFECT

COUNTRY.* RUSTIKAL. STRUKTUR. EFFECT.

POWERFUL MOMENTS.



Vibrant, lively and powerful colour nuances, as well as possible knots create a new spirited feeling in the home.

1-STRIP PLANKS.

1-strip planks are enjoying great popularity for many years and particularly accentuate the uniqueness and naturalness of wood while at the same time giving a spacious and elegant impression to any kind of room.

Scheucher offers a wide range of wood types in different gradings. Thanks to its natural characteristics and many treatment possibilities, the extremely popular as well as stable oak suits every personal living style and is also perfect for the installation on underfloor heating systems. From calm to lively gradings – oak wood just meets everyone's needs. Brushed, scraped or bandsawn surface structures and treatments with natural oils and waxes give you countless design possibilities for your home.

Within the product range of Scheucher you'll find 1-strips in widths from 140mm to 222 mm, lengths from 1200 to 2400 mm as well as total thicknesses of 9.8 mm (2-layer parquet) or 14 mm (3-layer parquet). All of the products have a wear layer of approx. 3.6 mm and therefore can be renovated several times.

SCHEUCHER 1-STRIP RANGE


NOVOLOC® 5G

WOODflor 222 14x222x2200mm NOVOLOC® 5G WOODflor 182 14x182x2200mm NOVOLOC® 5G WOODflor 140 14x140x2200mm NOVOLOC® 5G MULTIflor 2400 9.8x222x2400mm NOVOLOC® 5G MULTIflor 2200 9.8x182x2200mm NOVOLOC® 5G MULTIflor 1800 9.8x140x1800mm NOVOLOC® 5G **MULTI**flor **1200** 9.8x140x1200mm










TIMELESS AND MODERN.
























































OAK | COUNTRY | PERLA MULTIflor NOVOLOC® 5G 2400 WOODflor NOVOLOC® 5G 222





OAK | COUNTRY | NATURA MULTIflor NOVOLOC® 5G 2400 WOODflor NOVOLOC® 5G 222



























CONTRASTY AND ALIVE.























TRENDY AND MODERN.




















































PRODUCT OVERVIEW

WOODflor NOVOLOC® 5G 222

Dimensions 14 x 222 x 2200 mm Installation Glueless, floating or glue-down installation **Packaging** 6 pieces/pack = 2.930 m², 32 packs/pallet = 93.773 m²

Suitable for underfloor heating R_{τ} =0.101 m²K/W

WOODflor NOVOLOC® 5G 182

Dimensions 14 x 182 x 2200 mm Installation Glueless, floating or glue-down installation **Packaging** 6 pieces/pack = 2.402 m², 40 packs/pallet = 96.080 m² Suitable for underfloor heating R₌=0.101 m²K/W

WOODflor NOVOLOC® 5G 140

Dimensions 14 x 140 x 2200 mm Installation Glueless, floating or glue-down installation 6 pieces/pack = 1.848 m², 56 packs/pallet = 103.488 m² **Packaging** Suitable for underfloor heating R_T=0.101 m²K/W









MULTIflor NOVOLOC® 5G 2400

Dimensions 9.8 x 222 x 2400 mm

Installation Glue-down installation

Packaging 6 pieces/pack = 3.197 m², 40 packs/pallet = 127.880 m²

Suitable for underfloor heating R_T=0.058 m²K/W

MULTIflor NOVOLOC® 5G 2200

Dimensions 9.8 x 182 x 2200 mm

Installation Glue-down installation

Packaging 6 pieces/pack = 2.403 m², 50 packs/pallet = 120.150 m²

Suitable for underfloor heating R_r=0.058 m²K/W

WOODflor NOVOLOC® 5G 1800

Dimensions 9.8 x 140 x 1800 mm

Installation Glue-down installation

Packaging 10 pieces/pack = 2.520 m², 49 packs/pallet = 123.480 m²

Suitable for underfloor heating R_r=0.058 m²K/W

MULTIflor NOVOLOC® 5G 1200

Dimensions 9.8 x 140 x 1200 mm


Installation Glue-down installation


Packaging 10 pieces/pack = 1.680 m², 49 packs/pallet = 82.320 m²

Suitable for underfloor heating $\rm R_{\rm T}{=}0.058\,m^2K/W$

WOODflor NOVOLOC® 5G

The 3-layer parquet range **WOOD**flor NOVO**LOC®** 5G is the classic from Scheucher and has proven its worth over decades. Thanks to its special construction you'll profit from an enormous stability, resilience as well as a high warp-resistance. This way **WOOD**flor NOVO**LOC®** 5G parquet can also be installed floating on an appropriate underlay as well as glued down on a screed or wooden composite subfloor. With the reliable NOVO**LOC®** 5G interlocking system planks are simply locked together, aligning themselves automatically click by click. This ensures a clean and safe installation result including high savings in time.





WOODflor NOVOLOC® 5G.

Values prefixed by "approx." signify a tolerance of ± 10%.

PRODUCT HIGHLIGHTS

- + NOVOLOC® 5G interlocking system
- + 3-LAYER PARQUET
- + 3.6 mm solid wear layer
- + Front edge impregnated
- + Suitable for underfloor heating
- + Glue-down installation
- + Floating installation
- + 1-strip

14 x 140 x 2200

14 x 182 x 2200

14 x 222 x 2200

MULTIflor NOVOLOC® 5G

MULTIflor NOVO**LOC®** 5G is an innovative, diverse range of 2-layer parquet creations, which, alongside single planks and three-strip parquet, includes Chevron flooring, which can also be installed using NOVO**LOC®** 5G interlocking system. The true innovative power of **MULTI**flor NOVO**LOC®** 5G lies, however, in its "subsurface": thanks to its completely unique structure, an unprecedentedly low construction height can be achieved without having to compromise on the wear layer.



PRODUCT HIGHLIGHTS

- + NOVO**LOC®** 5G interlocking system
- + 2-LAYER PARQUET
- + 3.6 mm solid wear layer
- + Front edge impregnated
- + Only 9.8 mm installation height
- + Glue-down installation
- + Perfect for underfloor heating
- + 1-strip

9.8 x 140 x 1200

9.8 x 140 x 1800

9.8 x 182 x 2200

9.8 x 222 x 2400



NOVOLOC® 5G

With the reliable NOVOLOC® 5G interlocking system planks are simply locked together, aligning themselves automatically click by click.

LOW INSTALLATION HEIGHT

for an excellent junction to other floor types

Total thickness: 9.8 mm

Values prefixed by "approx." signify a tolerance of \pm 10%.

COMPATIBLE CARE.

A specially developed range of cleaning and care products enhances the natural hues of my wooden floor. These care products protect and preserve the beautiful sheen and individual character

of the wood.

THE GOLD OF THE FOREST

Our hearts beat for parquet "the gold of the forest" - as we like to call it. This is why we constantly endeavor to create innovative products with the greatest care in order to be able to off er you fist-class quality products that will give you pleasure over many decades.

To us at least of equal importance is, what's happening with our "gold" once it left our factory and is finally brought to your homes.

For that reason we were also intensively engaged in developing the perfect care and maintenance for your parquet floor once it requires an extra portion of care.









DURABLE FLO_R.

TIP: To preserve the beautiful look of your parquet floor and protect it's suface please avoid mechanical damages whereever possible. To avoid scratches and serious damages it is recommended to place mats in the entrance area and remove sand and grit with a broom immediately. Equip your movable furniture with felt gliders and use special rolls for wooden floors on off ice chairs. Do not leave any wet items on your parquet floor. To assess results properly, try out care and/or cleaning procedures in an inconspicuous place before applying the product.

CARE & MAINTENANCE



TENSEO

BONA SPRAY MOP

The Bona Spray Mop enables you to clean and maintain your wooden floor in a sweep. Ergonomic and simple to use, the Spray Mop is quick to assemble and refill with the specially developed Bona floor cleaner cartridge. Forget filling up a bucket and adding concentrate - just spray and clean! No polishing required.

BONA REFRESHER

for care and current cleaning for Tenseo Classico.

BONA POLISH MATT for care and current cleaning for Tenseo Matt.



CARE & MAINTENANCE SEDA



CAREboy

Multifunctional, cordless waxer and cleaner for comfortable and efficient cleaning and care of your oiled/waxed flooring.

CAREboy HIGHLIGHTS

- + Easy and innovative cleaning & care
- + Cordless battery mode
- + Dual drive
- + Minimum water consumption
- + Easier access to corners and hard-to-reach areas
- + Buildt-in LED lighting for dark areas
- + Low-noise
- + Specially designed nozzle, spraying at the touch of a button
- + Controlled spraying quantity
- + Protects your floor from over-wet















ACCESSORIES

The whole range is available for every desired staircase and ensures a harmonious overall view in your home.

STAIRbox

STAIRbox is a system, that simply enables the digital measurement of stairs and staircases as well as – in addition – the direct purchase of parquet elements ready for assembly from Scheucher.

This is how the service spectrum of every floorer experiences a great expansion and customers get their floor and stairs from professional hands.

STAIR TREADS


ALL WOOD TYPES

STAIRbox makes it possible to create all types of stair treads quickly and easily – irrespective of the basic form or configuration – with the same appearance as the parquet.

FASCIA BOARDS

ALL WOOD TYPES
WHITE FINISHING COAT
WHITE-PAINTED MDF

What is more, fascia boards that are identical to the installed parquet and blend harmoniously into the overall view are no longer a problem, thanks to **STAIR**box.



EDGING FRIEZES

MULTIflor NOVO**LOC**® 5G **2200** | 9.8 x 182 x 2200 mm 6 pieces/pack = 2.403 m², 50 packs/pallet = 120.150 m²






SKIRTINGS


For the full eff ect, every parquet floor needs a clean connection to the walls or similar structures.

For this purpose, Scheucher stocks a wide, perfectly-fitting range of skirting boards that can be harmoniously tailored to the parquet installed.




STAIR NOSINGS

L-SHAPE NOVOLOC®



U-SHAPE NOVOLOC®






Stair nosings are available in L- or U-shape for all our products.

ROOM CLIMATE

This "feel comfortable" chart for indoor room climate demonstrates the combination of relative humidity and room temperature where the overwhelming majority feels comfortable in indoor rooms.



EN 15251:2012 "Input parameters for indoor climate" recommends a seasonally caused relative humidity of approx. 30 % to 65 % for a healthy room climate. In this range, natural characteristics of wood like gaps, minor cracks or warpage of your parquet floor may occur in a moderate degree.

In case of long-term deviations, health impairments or excessive changes in the appearance of your hardwood floor, like big deformations, big gaps and cracks may occur. Wood as a natural material reacts more sensitively to changes of the relative humidity than to changes of temperature.

Therefore the key to success lies in the observance of an optimum relative humidity of your indoor air!

This generally requires periodic cleaning and maintenance of your parquet floor as well as an appropriate air humidification in the heating season. We therefor recommend cold humidifiers with an integrated sterilization system. The installation of Fidbox records your climate above and under your parquet floor over many years and can be conveniently monitored by mobile app. Paying attention to these important factors will guarantee pleasure over decades with your high-quality parquet floor from Scheucher.

GUARANTEED FIRST CLASS QUALITY

Each Scheucher parquet floor has a story to tell - of its natural origins and about its processing to the most exacting and environmentally friendly standards; assets which make Scheucher parquet an outstanding quality product. A quality product that delivers what it promises - this is what we vouch for with our good reputation, our understanding of wood as a natural product and our Scheucher warranty. Moreover all of our products are subject to an ongoing internal and external quality monitoring process.



RealWood is the official seal of the European Parquet Association confirming the parquet is made from real wood and is no artificial replication.



CE-label confirms compliancy with European Standards and is obligatory when selling this product.



PEFC-certified wood comes from controlled sources of sustainably managed forests.



Das Zeichen für verantwortungsvolle Waldwirtschaft FSC® certified wood comes from controlled sources which fulfill the worldwide consistent principles of FSC®. Main goal is sustainable forestry in the world. Upon your request, we individually inform you about the availability of FSC® certified wood | parquet floors | wood types at any time.



The Scheucher warranty guarantees full functionality of your hardwood floor for 30 years. The current terms of warranty apply.



Scheucher parquet floors fulfill the award criteria V1.0 of TÜV PROFi-CERT-product Interior Certification.





Scheucher supports sustainable construction via Environmental Product Declarations (EPDs). Our EPD is based on international standards (ISO 14025, ISO 14040ff) as well as the European DIN EN 15804, which provides the basis for EPD's throughout Europe. It is listed for the sustainability assessment of buildings at IBU - Institut Bauen und Umwelt e.V. Furthermore we meet the high demands of the American LEED v4 program. LEED (Leadership in Energy and Environmental Design) is globally recognized and the most widely used green building rating system in the world.

Environmental Product Declarations give the appropriate data basis to represent environmental attributes of a product for its whole lifecycle and include general product, life cycle assessment- and additional information. Moreover, they are compiled on a basis of criteria, which among others are developed by independent third parties and which are additionally verified independently.





Scheucher Holzindustrie GmbH

Zehensdorf 100 | 8092 Mettersdorf

Branch Vienna

Zetschegasse 9 | 1230 Vienna

info@scheucherparkett.at www.scheucherparkett.at