


vitality



DISCOVER OUR BEAUTIFUL
FLOORS THAT CAN BE
INSTALLED IN ALL AREAS
OF YOUR HOME

Quality product of  UNILIN

LAMINATE FLOORING

COLLECTION 2023 - 2026

vitality

VITALITY IS
JUST WHAT
YOUR HOME
NEEDS!

The Vitality range has everything you expect of a laminate floor: beautiful designs, different plank sizes, great features such as Aqua Protect, and innovative click system for ultimate ease of installation. Choose Vitality and enjoy your floor for many years to come.

OR100545 IVORY OAK

WHY YOUR HOME NEEDS SOME VITALITY?

1. VIVID DESIGNS

Discover vivid designs with intense colours from light to dark, with matt and realistic structures: natural touch (embossed) and true to nature (embossed in register).

2. WEAR RESISTANT

Vitality floors are scratch, stain and UV light resistant. The top layer offers the best possible protection against micro scratches and stains. You don't need to worry about discolouration.

3. WATER RESISTANT

Thanks to the unique Aqua Protect coating technology, your laminate floor is completely water resistant. Vitality is the perfect flooring solution for all areas in your home, including kitchens and bathrooms.

4. ANTI-STATIC

Vitality floors receive a permanent anti-static treatment, so static electricity charges cannot accumulate anymore, even in dry climate conditions. Anti-static surfaces are easier to clean as dirt and dust will not stick to the floor.

5. RELIABLE CLICK SYSTEM

With Uniclic, installation is a piece of cake. It ensures a strong and seamless transition from one plank to the next.



DISCOVER A WIDE RANGE OF QUALITIES AND DESIGNS >>>>>>

6. SUSTAINABLE

Vitality floors are made in Belgium, using the best raw materials and sustainable production processes. They carry several quality labels:



EU ECOLABEL

UNILIN was the first to receive the European Ecolabel for laminate flooring. The EU Ecolabel is a label of environmental excellence that is awarded to products and services meeting high environmental standards throughout their lifecycle.



PEFC

Vitality is friends with the environment. All Vitality laminate floors carry the PEFC label, which is your guarantee of responsible forestry management and conservation.



A+

The results of the VOC emissions are globalised and expressed in a 4-class scale from A+ (very low emissions) to C (high level of emissions). Vitality has successfully passed the test and has obtained an A+ score.




CE / UKCA

CE is a certification mark that indicates conformity with health, safety and environmental protection standards for products sold within the European Economic Area. For our laminate sold in the United Kingdom, we have the UKCA label.

Made in Belgium

vitalitysuperb

THE MOST DURABLE
VITALITY FLOOR EVER



SPR00573AP CHALK OAK



SPR00553AP SPRING OAK




SPR00571AP VANCOUVER OAK



SPR00388AP MACADAMIA OAK



SPR00421AP SAND OAK



SPR00574AP HERITAGE OAK

10 MM

STANDARD PLANKS:
1261 X 192 MM

WATER RESISTANT

4V-GROOVES

TRUE TO NATURE STRUCTURE

AC5 CLASS 32

UNICLIC

25-YEAR
RESIDENTIAL WARRANTY
5-YEAR WET WARRANTY



SPR00388AP MACADAMIA OAK

vitalityjumbo

THE VITALITY FLOOR
WITH WIDE PLANKS



8 MM

WIDE PLANKS:
1261 X 244 MM

WATER RESISTANT

4V-GROOVES


TRUE TO NATURE STRUCTURE (1)
NATURAL TOUCH STRUCTURE (2)

AC4 CLASS 32
UNICLIC

25-YEAR
RESIDENTIAL WARRANTY
5-YEAR WET WARRANTY




JUM00428APL SPRING SNOW OAK



JUM00133APL SALT LAKE OAK (2)



JUM00221APL TAYLOR OAK (2)



JUM00430APL LOFT OAK (1)




JUM00428APL SPRING SNOW OAK (1)



JUM00421APL SAND OAK (1)



JUM00403APL WADI RUM OAK (1)



JUM00391APL GARDA OAK (1)



JUM00426APL URBAN OAK (1)

vitalitystyle

STYLISH DESIGNS,
REALISTIC STRUCTURES

8 MM
STANDARD PLANKS:
1261 X 192 MM

ALSO AVAILABLE
WATER RESISTANT

4V-GROOVES

TRUE TO NATURE STRUCTURE

AC4 CLASS 32
UNICLIC

25-YEAR
RESIDENTIAL WARRANTY
(5-YEAR WET WARRANTY)



STY00304(AP) WHITE OILED OAK



STY00177(AP) FROZEN OAK



STY00557(AP) PROVENCE OAK



STY00553(AP) SPRING OAK



STY00178(AP) REFINED MODERN OAK



STY00175(AP) BRANDON OAK



STY00567(AP) NEWPORT OAK



STY00174(AP) HONEY OAK



STY00378(AP) NATURAL VARNISHED OAK



STY00418(AP) NATURAL BEIGE OAK



STY00386(AP) SANDSTORM OAK



STY00149(AP) OCEAN GREY OAK



STY00387(AP) SUNSET OAK



STY00381(AP) BARN OAK



STY00569(AP) GREENWICH OAK



STY00575(AP) VICTORIAN BROWN OAK



STY00175(AP) BRANDON OAK

vitalitydeluxe

FLAT, NO GROOVES

8 MM
STANDARD PLANKS:
1261 X 192 MM

ALSO AVAILABLE
WATER RESISTANT



FLAT, NO GROOVES

TRUE TO NATURE STRUCTURE

AC4 CLASS 32
UNICLIC

25-YEAR
RESIDENTIAL WARRANTY
(5-YEAR WET WARRANTY)



DEFO0553(AP) SPRING OAK



DEFO0304(AP) WHITE OILED OAK



DEFO0567(AP) NEWPORT OAK



DEFO0386(AP) SANDSTORM OAK



DEFO0557(AP) PROVENCE OAK



DEFO0378(AP) NATURAL VARNISHED OAK



DEFO0569(AP) GREENWICH OAK



DEFO0553(AP) SPRING OAK



DEFO0387(AP) SUNSET OAK

vitality original

BEAUTIFUL DESIGNS
FOR EVERY BUDGET

7 MM

STANDARD PLANKS:
1261 X 192 MM

FLAT, NO GROOVES

NATURAL TOUCH STRUCTURE

AC4 CLASS 32
UNICLIC

15-YEAR
RESIDENTIAL WARRANTY



ORIO0545 IVORY OAK



ORIO0545 IVORY OAK



ORIO0544 NOVEL OAK



ORIO0551 CINNAMON OAK



ORIO0550 HAZEL OAK



ORIO0543 MYTH OAK




ORIO0552 PECAN OAK



ORIO0383 NATURAL VARNISHED OAK



ORIO0180 STERLING OAK



ORIO0541 FABLE OAK



ORIO0409 BLOND OAK



ORIO0121 MISTY OAK



ORIO0549 CHOCOLATE OAK

SmartFinish[®] accessories

A TOTAL
SOLUTION
FOR YOUR
VITALITY
FLOOR

STY00557(AP) PROVENCE OAK

Underlays

A SmartFinish underlay is essential for the installation of your Vitality floor. Besides creating a level base, our underlays provide excellent acoustic insulation and are compatible with underfloor heating and cooling.


Choose a suitable underlay according to your specific needs.



Basic
SFUDLBAS20
Budget-friendly underlay.



Select
SFUDLSELECT15
Underlay suitable for all applications.
Vapour barrier included.



Versasound
SFUDLSV15
Best underlay for all-round sound reduction. Vapour barrier included




Reflection sound




Impact sound



Installation tools




Adhesive tape
NETAPE50 - 50 metres
Self-adhesive tape to attach the
Basic underlay for an easy installation.



Installation kit
SFTOOL
Set with a crowbar, tapping block
and 20 spacers to easily click planks
together and provide perfect expansion
gaps.

Watertight Finish



Prevent moisture from seeping below the floor at the edges by using the Foamstrip and the SmartFinish AquaProtect kit. This ensures a watertight sealing of expansion gaps along walls, radiator pipes and profiles.

1. Foamstrip

NEFOAMSTRIP20 - 20 x 1 m x Ø 10 mm
Elastic strip to install in gaps around the floor perimeter.

2. SmartFinish AquaProtect kit

SFKITTRANSP - 310 ml
Transparent silicone to apply on top of the Foamstrip and to seal skirtings and profiles.



Skirtings

Colour-matched skirting

Go for a colour-matched finishing with our high quality SmartFinish skirtings with MDF core. Available in matching designs for all Vitality floors. Installation in a damp room? Use the SmartFinish AquaProtect kit to protect your skirtings.



Parquet skirting
SFPSK(-)
2400 X 77 X 14 MM



Standard skirting
SFSK(-)
2400 X 58 X 12 MM



Scotia
SFSCOT(-)
2400 X 17 X 17 MM

White skirtings

Paint these skirtings in the same colour as your walls or simply leave them white thanks to their multifunctional topcoat. Installation in a damp room? Use the waterproof paintable skirting with polystyrene core.



Paintable parquet skirting
SFPSKRPAIN
2400 X 14 X 77 MM



Paintable standard skirting
SFSKPAINT
2400 X 12 X 58 MM



Paintable scotia
SFSCOTPAINT
2400 X 17 X 17 MM



Waterproof paintable skirting large
SFHSK80PAINT - 100% RECYCLABLE
2400 X 15 X 80 MM

Profiles

Colour-matched profiles




High-quality profile with 4 applications in 1 single product. Simply cut the Incizo basic profile to the desired shape with the supplied Incizo knife. Available in matching designs for all Vitality floors.

Incizo 4-in-1 profile

SFINCP(-)
2150 X 48 X 13 MM



Adapter profile
2150 X 48 X 13 MM
Connect two floors of different heights.



Expansion profile
2150 X 40 X 13 MM
Connect two floors of the same height.



End profile
2150 X 41 X 13 MM
Finish your floor along walls or windows



Transition profile
2150 X 41 X 13 MM
Create a nice transition between your laminate floor and other flooring types.

vitality

COLLECTION	THICKNESS	PLANK SIZE	WATER RESISTANCE	GROOVES	STRUCTURE	WEAR CLASS	ANTI-STATIC	CLICK SYSTEM	RESIDENTIAL WARRANTY	WET WARRANTY
Superb	10 mm	Standard	Aqua Protect	4V	True to nature	AC5	☑	UNICLIC®	25 Y	5 Y
Jumbo	8 mm	Wide	Aqua Protect	4V	True to nature Natural touch	AC4	☑	UNICLIC®	25 Y	5 Y
Style	8 mm	Standard	Aqua Protect available	4V	True to nature	AC4	☑	UNICLIC®	25 Y	(5 Y)
Deluxe	8 mm	Standard	Aqua Protect available	Flat	True to nature	AC4	☑	UNICLIC®	25 Y	(5 Y)
Original	7 mm	Standard	-	Flat	Natural touch	AC4	☑	UNICLIC®	15 Y	-



SmartFinish accessories come with the same warranty as your Vitality floors.

For installation instructions and warranty conditions, contact your Vitality dealer or go to www.vitalityfloors.com



STY00575(AP) VICTORIAN BROWN OAK

V.U. UNILIN BV, Ooigemstraat 3, B-8710 Wielsbeke | 023-003-01

LAMINATE FLOORING

COLLECTION 2023 - 2026